

批写

SEQUENCE LISTING

<110>	Kallur	i, Ragl	hura	m										
<120>	ANTI-A	NGIOGE	NIC	PROT	EINS	AND	FRA	GMEN'	TS A	ND M	ETHO	os o	F USE	THEREOF
<130>	2312/2	082B (:	form	erly	144	0.10	27-0	16)						
<140> <141>	US 10/0 2001-1		1											
<150> <151>	PCT/US		65											
<150> <151>	US 09/6		1											
<150> <151>	US 09/9 2000-0		1										•	
<150> <151>	US 09/4 2000-0		8											
<150> <151>	US 09/: 1999-0		4											
<150> <151>	US 60/1 1999-01		5											
<150> <151>	US 60/0 1998-0		9											
<160>	58													
<170>	Patent:	In vers	sion	3.1										
<210><211><212><213>	1 690 DNA Homo sa	apiens												
<220><221><222><222><223>	CDS (1)(e	687)												
	1 gat ca Asp Hi													48
gac cca Asp Pro		ys Pro												96
ttg ctc	tac gt Tyr Va	tg caa al Gln	ggc Gly	aat Asn	gaa Glu	cgg Arg	gcc Ala	cat His	gga Gly	cag Gln	gac Asp	ttg Leu	ggc Gly	144

acg gcc ggc agc tgc ctg cgc aag ttc agc aca atg ccc ttc ctg ttc 192 Thr Ala Gly Ser Cys Leu Arg Lys Phe Ser Thr Met Pro Phe Leu Phe 55 60 tgc aat att aac aac gtg tgc aac ttt gca tca cga aat gac tac tcg 240 Cys Asn Ile Asn Asn Val Cys Asn Phe Ala Ser Arg Asn Asp Tyr Ser tac tgg ctg tcc acc cct gag ccc atg ccc atg tca atg gca ccc atc 288 Tyr Trp Leu Ser Thr Pro Glu Pro Met Pro Met Ser Met Ala Pro Ile acg ggg gaa aac ata aga cca ttt att agt agg tgt gct gtg tgt gag 336 Thr Gly Glu Asn Ile Arg Pro Phe Ile Ser Arg Cys Ala Val Cys Glu 100 geg cet gee atg gtg atg gee gtg cac age cag acc att cag ate cea 384 Ala Pro Ala Met Val Met Ala Val His Ser Gln Thr Ile Gln Ile Pro 115 120 ccg tgc ccc agc ggg tgg tcc tcg ctg tgg atc ggc tac tct ttt gtg 432 Pro Cys Pro Ser Gly Trp Ser Ser Leu Trp Ile Gly Tyr Ser Phe Val 135 atg cac acc agc gct ggt gca gaa ggc tct ggc caa gcc ctg gcg tcc 480 Met His Thr Ser Ala Gly Ala Glu Gly Ser Gly Gln Ala Leu Ala Ser 145 150 155 ccc ggc tcc tgc ctg gag gag ttt aga agt gcg cca ttc atc gag tgt 528 Pro Gly Ser Cys Leu Glu Glu Phe Arg Ser Ala Pro Phe Ile Glu Cys 165 170 cac ggc cgt ggg acc tgc aat tac tac gca aac gct tac agc ttt tgg 576 His Gly Arg Gly Thr Cys Asn Tyr Tyr Ala Asn Ala Tyr Ser Phe Trp 180 ctc gcc acc ata gag agg agc gag atg ttc aag aag cct acg ccg tcc 624 Leu Ala Thr Ile Glu Arg Ser Glu Met Phe Lys Lys Pro Thr Pro Ser 195 200 acc ttg aag gca ggg gag ctg cgc acg cac gtc agc cgc tgc caa gtc 672 Thr Leu Lys Ala Gly Glu Leu Arg Thr His Val Ser Arg Cys Gln Val 210 215 tgt atg aga aga aca taa 690 Cys Met Arg Arg Thr 225 <210> 2 <211> 229 <212> PRT <213> Homo sapiens

40

45

35

<400> 2

Ser Val Asp His Gly Phe Leu Val Thr Arg His Ser Gln Thr Ile Asp Asp Pro Gln Cys Pro Ser Gly Thr Lys Ile Leu Tyr His Gly Tyr Ser Leu Leu Tyr Val Gln Gly Asn Glu Arg Ala His Gly Gln Asp Leu Gly Thr Ala Gly Ser Cys Leu Arg Lys Phe Ser Thr Met Pro Phe Leu Phe Cys Asn Ile Asn Asn Val Cys Asn Phe Ala Ser Arg Asn Asp Tyr Ser Tyr Trp Leu Ser Thr Pro Glu Pro Met Pro Met Ser Met Ala Pro Ile Thr Gly Glu Asn Ile Arg Pro Phe Ile Ser Arg Cys Ala Val Cys Glu Ala Pro Ala Met Val Met Ala Val His Ser Gln Thr Ile Gln Ile Pro Pro Cys Pro Ser Gly Trp Ser Ser Leu Trp Ile Gly Tyr Ser Phe Val Met His Thr Ser Ala Gly Ala Glu Gly Ser Gly Gln Ala Leu Ala Ser Pro Gly Ser Cys Leu Glu Glu Phe Arg Ser Ala Pro Phe Ile Glu Cys His Gly Arg Gly Thr Cys Asn Tyr Tyr Ala Asn Ala Tyr Ser Phe Trp Leu Ala Thr Ile Glu Arg Ser Glu Met Phe Lys Lys Pro Thr Pro Ser

Thr Leu Lys Ala Gly Glu Leu Arg Thr His Val Ser Arg Cys Gln Val

225																
<210 <211 <212 <213	L> : 2> :	3 27 DNA Arti	fici	al s	eque	nce										
<220 <223		pET22b(+) forward oligonucleotide primer for Arresten														
<400 cggg		3 ctt (ctgt	tgat	ca c	ggct	tc									27
<210 <211 <212 <213	L> :	4 27 DNA Arti:	ficia	al s	eque	nce										
<220 <223		pET2:	2b (+) re	vers	e ol:	igon	uceo	tide	pri	mer :	for i	Arre	sten		
<400 ccca		4 ttt 9	gttc	ttct	ca ta	acag	ac									27
<210 <211 <212 <213	.> (!>]	5 684 DNA Homo	sap	iens												
<220 <221 <222 <223	-> (!>	CDS (1).	. (68:	1)												
<400 gtc Val 1	agc															48
ccc Pro																96
ctg Leu																144
gcg Ala																192
aac																240

Cys Met Arg Arg Thr

65	70	75	80
		atg atg ccc gtg gcc Met Met Pro Val Ala 90	
		tct gtg tgt gag gcc Ser Val Cys Glu Ala 110	
		gtc tcc atc cca cac Val Ser Ile Pro His 125	
		tat tcc ttc ctc atg Tyr Ser Phe Leu Met 140	•
		tca ctg gtg tca ccg Ser Leu Val Ser Pro 155	
		ttc atc gaa tgc aat Phe Ile Glu Cys Asn 170	
		aag tac agc ttc tgg Lys Tyr Ser Phe Trp 190	_
		tcg ccc tcc gcc gac Ser Pro Ser Ala Asp 205	
		agc cgc tgc cag gtg Ser Arg Cys Gln Val 220	
aag aac ctg tga Lys Asn Leu 225			684
<210> 6 <211> 227 <212> PRT			
<213> Homo sapiens <400> 6			
	Leu Leu Val Lys	His Ser Gln Thr Asp 10	Gln Glu 15
Pro Met Cys Pro Val	Gly Met Asn Lys 25	Leu Trp Ser Gly Tyr	Ser Leu

Leu Tyr Phe Glu Gly Gln Glu Lys Ala His Asn Gln Asp Leu Gly Leu 35 40 45

Ala Gly Ser Cys Leu Ala Arg Phe Ser Thr Met Pro Phe Leu Tyr Cys 50 55 60

はなるとう かられてきない

Asn Pro Gly Asp Val Cys Tyr Tyr Ala Ser Arg Asn Asp Lys Ser Tyr 65 70 75 80

Trp Leu Ser Thr Thr Ala Pro Leu Pro Met Met Pro Val Ala Glu Asp 85 90 95

Glu Ile Lys Pro Tyr Ile Ser Arg Cys Ser Val Cys Glu Ala Pro Ala 100 105 110

Ile Ala Ile Ala Val His Ser Gln Asp Val Ser Ile Pro His Cys Pro 115 120 125

Ala Gly Trp Arg Ser Leu Trp Ile Gly Tyr Ser Phe Leu Met His Thr 130 135 140

Ala Ala Gly Asp Glu Gly Gly Gln Ser Leu Val Ser Pro Gly Ser 145 150 155 160

Cys Leu Glu Asp Phe Arg Ala Thr Pro Phe Ile Glu Cys Asn Gly Gly
165 170 175

Arg Gly Thr Cys His Tyr Tyr Ala Asn Lys Tyr Ser Phe Trp Leu Thr 180 185 190

Thr Ile Pro Glu Gln Ser Phe Gln Gly Ser Pro Ser Ala Asp Thr Leu 195 200 205

Lys Ala Gly Leu Ile Arg Thr His Ile Ser Arg Cys Gln Val Cys Met 210 215 220

Lys Asn Leu 225

<210> 7

<211> 27

<212> DNA

<213> Artificial sequence

<220> <223>	pET22b(+) forw	ward ol	igonucl	eotid	e pr	imer	for	Can	stat	in	
	7 cctg tca	gcatcgg	g ctacc	tc								27
<210><211><211><212><213>		ial seq	quence									
<220> <223>	pET22b(+) reve	erse ol:	igonucl	eotid	e pr	imer	for	Can	stat	in	
<400> cccaag	8 cttc agg	ttcttca	a tgcaca	ac								27
<210><211><211><212><213>	735	piens										
<220><221><222><222><223>		32)										
<400>	_											
	g aaa gg u Lys Gl											48
	a ggc tt g Gly Ph 20											96
	t cca ga s Pro Gl 35											144
	a caa gg l Gln Gl											192
	c tgc ct r Cys Le	u Gln A										240
	t gat gt. n Asp Va											288
	a aca cca r Thr Pro											336

100		105	110
	cct tat ata agc Pro Tyr Ile Ser 120		
	gcc gtt cac agc Ala Val His Ser 135		
	att tct ctc tgg Ile Ser Leu Trp 150		9
	tct gag ggc acc Ser Glu Gly Thr 165		_
	gaa ttc cga gcc Glu Phe Arg Ala	_	
	aac tac tat tca Asn Tyr Tyr Ser 200		
	gaa aga atg ttc Glu Arg Met Phe 215		
	tta gaa aaa ata Leu Glu Lys Ile 230		
aag aaa aga cac Lys Lys Arg His	tga		735
<210> 10 <211> 244 <212> PRT <213> Homo sap	iens		
<400> 10			
Gly Leu Lys Gly 1	Lys Arg Gly Asp 5	Ser Gly Ser Pro 10	Ala Thr Trp Thr 15
Thr Arg Gly Phe 20	Val Phe Thr Arg	His Ser Gln Thr 25	Thr Ala Ile Pro 30
Ser Cys Pro Glu 35	Gly Thr Val Pro	Leu Tyr Ser Gly	Phe Ser Phe Leu 45

Phe Val Gln Gly Asn Gln Arg Ala His Gly Gln Asp Leu Gly Thr Leu 50 Gly Ser Cys Leu Gln Arg Phe Thr Thr Met Pro Phe Leu Phe Cys Asn Val Asn Asp Val Cys Asn Phe Ala Ser Arg Asn Asp Tyr Ser Tyr Trp 85 90 95 Leu Ser Thr Pro Ala Leu Met Pro Met Asn Met Ala Pro Ile Thr Gly 100 105 110 Arg Ala Leu Glu Pro Tyr Ile Ser Arg Cys Thr Val Cys Glu Gly Pro 115 Ala Ile Ala Ile Ala Val His Ser Gln Thr Thr Asp Ile Pro Pro Cys Pro His Gly Trp Ile Ser Leu Trp Lys Gly Phe Ser Phe Ile Met Phe 145 150 155 Thr Ser Ala Gly Ser Glu Gly Thr Gly Gln Ala Leu Ala Ser Pro Gly 170 165 175 Ser Cys Leu Glu Glu Phe Arg Ala Ser Pro Phe Leu Glu Cys His Gly 180 185 190 Arg Gly Thr Cys Asn Tyr Tyr Ser Asn Ser Tyr Ser Phe Trp Leu Ala 195 200 Ser Leu Asn Pro Glu Arg Met Phe Arg Lys Pro Ile Pro Ser Thr Val 210 215

Lys Ala Gly Glu Leu Glu Lys Ile Ile Ser Arg Cys Gln Val Cys Met

230

Lys Lys Arg His

<210> 11

<211> 27

<212> DNA

<213> Artificial sequence

```
<220>
<223> pET22b(+) forward oligonucleotide primer for Tumstatin
<400> 11
cgggatccgg gtttgaaagg aaaacgt
                                                                     27
<210> 12
<211>
      27
<212> DNA
<213> Artificial sequence
<220>
<223> pET22b(+) reverse oligonucleotide primer for Tumstatin
<220>
<221> misc feature
<222> (1)..(27)
<223> primer
<400> 12
cccaagettt cagtgtettt tetteat
                                                                     27
<210> 13
<211> 8
<212> PRT
<213> Artificial sequence
<220>
<223> Additional vector sequence added to protein
<400> 13
Met Asp Ile Gly Ile Asn Ser Asp
<210> 14
<211>
<212>
      PRT
<213> Artificial sequence
<220>
<223>
     Additional vector sequence added to protein
<400> 14
Lys Leu Ala Ala Leu Glu
               5
<210> 15
<211> 28
<212> DNA
```

<213>	Artificial sequence	
<220> <223>	pPICZaA forward oligonucleotide primer for Arresten	
<400> ttcgga	15 attc tctgttgatc acggcttc	28
<210><211><212><213>		
12207	The state of the s	
<220> <223>	pPICZaA reverse oligonucleotide primer for Arresten	
<400>	16	
tgctct	agag gtgttcttct catacagact tggca	35
<210> <211>		
<212>		
<213>	Artificial sequence	
<220> <223>	pPICZaA forward oligonucleotide primer for Canstatin	
<400> ttcgga	17 attc gtcagcatcg gctacctcct g	31
<210>	18	
<211> <212>	32 DNA	
<213>	Artificial sequence	
<220> <223>	pPICZaA reverse oligonucleotide primer for Canstatin	
<400>	18	
	cccc caggttcttc atgcacacct gg	32
<210> <211>	19 1	
<212> <213>	PRT Artificial Sequence	
<220> <223>	Deleted Sequence	
<400>	19	
Pro		

<210> 20 <211> 124 <212> PRT <213> Artificial Sequence <220> <223> Tumstatin 333 (amino acids 1-124 of SEQ ID NO:10) <400> 20 Gly Leu Lys Gly Lys Arg Gly Asp Ser Gly Ser Pro Ala Thr Trp Thr 10 Thr Arg Gly Phe Val Phe Thr Arg His Ser Gln Thr Thr Ala Ile Pro 20 25 Ser Cys Pro Glu Gly Thr Val Pro Leu Tyr Ser Gly Phe Ser Phe Leu 35 40 Phe Val Gln Gly Asn Gln Arg Ala His Gly Gln Asp Leu Gly Thr Leu 50 55 Gly Ser Cys Leu Gln Arg Phe Thr Thr Met Pro Phe Leu Phe Cys Asn 65 75 Val Asn Asp Val Cys Asn Phe Ala Ser Arg Asn Asp Tyr Ser Tyr Trp 90 Leu Ser Thr Pro Ala Leu Met Pro Met Asn Met Ala Pro Ile Thr Gly 100 105 110 Arg Ala Leu Glu Pro Tyr Ile Ser Arg Cys Thr Val 115 120 <210> 21 <211> 120 <212> PRT <213> Artificial Sequence <223> Tumstatin 334 (amino acids 125-244 of SEQ ID NO:10) <400> Cys Glu Gly Pro Ala Ile Ala Ile Ala Val His Ser Gln Thr Thr Asp 5

Ile Pro Pro Cys Pro His Gly Trp Ile Ser Leu Trp Lys Gly Phe Ser 20 Phe Ile Met Phe Thr Ser Ala Gly Ser Glu Gly Thr Gly Gln Ala Leu 40 Ala Ser Pro Gly Ser Cys Leu Glu Glu Phe Arg Ala Ser Pro Phe Leu 50 55 Glu Cys His Gly Arg Gly Thr Cys Asn Tyr Tyr Ser Asn Ser Tyr Ser 70 75 Phe Trp Leu Ala Ser Leu Asn Pro Glu Arg Met Phe Arg Lys Pro Ile Pro Ser Thr Val Lys Ala Gly Glu Leu Glu Lys Ile Ile Ser Arg Cys 100 Gln Val Cys Met Lys Lys Arg His 115 <210> 22 <211> 191 <212> PRT <213> Artificial Sequence <220> <223> Tum-1 (Tumstatin N-53) (amino acids 54-244 of SEQ ID NO:10) <400> 22 Gln Arg Ala His Gly Gln Asp Leu Gly Thr Leu Gly Ser Cys Leu Gln 5 Arg Phe Thr Thr Met Pro Phe Leu Phe Cys Asn Val Asn Asp Val Cys Asn Phe Ala Ser Arg Asn Asp Tyr Ser Tyr Trp Leu Ser Thr Pro Ala 40 Leu Met Pro Met Asn Met Ala Pro Ile Thr Gly Arg Ala Leu Glu Pro 55

75

Tyr Ile Ser Arg Cys Thr Val Cys Glu Gly Pro Ala Ile Ala Ile Ala

70

Val His Ser Gln Thr Thr Asp Ile Pro Pro Cys Pro His Gly Trp Ile 90 Ser Leu Trp Lys Gly Phe Ser Phe Ile Met Phe Thr Ser Ala Gly Ser 100 105 Glu Gly Thr Gly Gln Ala Leu Ala Ser Pro Gly Ser Cys Leu Glu Glu 115 120 Phe Arg Ala Ser Pro Phe Leu Glu Cys His Gly Arg Gly Thr Cys Asn 130 135 Tyr Tyr Ser Asn Ser Tyr Ser Phe Trp Leu Ala Ser Leu Asn Pro Glu 145 150 155 160 Arg Met Phe Arg Lys Pro Ile Pro Ser Thr Val Lys Ala Gly Glu Leu 165 170 Glu Lys Ile Ile Ser Arg Cys Gln Val Cys Met Lys Lys Arg His 180 185 <210> 23 <211> 132 <212> PRT <213> Artificial Sequence <220> <223> Tum-2 (amino acids 1-132 of SEQ ID NO:10) <400> 23 Gly Leu Lys Gly Lys Arg Gly Asp Ser Gly Ser Pro Ala Thr Trp Thr 10 Thr Arg Gly Phe Val Phe Thr Arg His Ser Gln Thr Thr Ala Ile Pro 20 25 Ser Cys Pro Glu Gly Thr Val Pro Leu Tyr Ser Gly Phe Ser Phe Leu 35 40

Gly Ser Cys Leu Gln Arg Phe Thr Thr Met Pro Phe Leu Phe Cys Asn

Phe Val Gln Gly Asn Gln Arg Ala His Gly Gln Asp Leu Gly Thr Leu

55

50

70

80

And the second

Val Asn Asp Val Cys Asn Phe Ala Ser Arg Asn Asp Tyr Ser Tyr Trp 85 90 95

75

Leu Ser Thr Pro Ala Leu Met Pro Met Asn Met Ala Pro Ile Thr Gly
100 105 110

Arg Ala Leu Glu Pro Tyr Ile Ser Arg Cys Thr Val Cys Glu Gly Pro 115 120 125

Ala Ile Ala Ile 130

<210> 24

<211> 112

<212> PRT

<213> Artificial Sequence

<220>

65

<223> Tum-3 (amino acids 133-244 of SEQ ID NO:10)

<400> 24

Ala Val His Ser Gln Thr Thr Asp Ile Pro Pro Cys Pro His Gly Trp 1 5 10 15

Ile Ser Leu Trp Lys Gly Phe Ser Phe Ile Met Phe Thr Ser Ala Gly
20 25 30

Ser Glu Gly Thr Gly Gln Ala Leu Ala Ser Pro Gly Ser Cys Leu Glu 35 40 45

Glu Phe Arg Ala Ser Pro Phe Leu Glu Cys His Gly Arg Gly Thr Cys
50 60

Asn Tyr Tyr Ser Asn Ser Tyr Ser Phe Trp Leu Ala Ser Leu Asn Pro 65 70 75 80

Glu Arg Met Phe Arg Lys Pro Ile Pro Ser Thr Val Lys Ala Gly Glu 85 90 95

Leu Glu Lys Ile Ile Ser Arg Cys Gln Val Cys Met Lys Lys Arg His 100 105 110

<210> 25 <211> 64 <212> PRT <213> Artificial Sequence <220> <223> Tum-4 (amino acids 181-244 of SEQ ID NO:10) <400> 25 Glu Phe Arg Ala Ser Pro Phe Leu Glu Cys His Gly Arg Gly Thr Cys Asn Tyr Tyr Ser Asn Ser Tyr Ser Phe Trp Leu Ala Ser Leu Asn Pro 20 25 Glu Arg Met Phe Arg Lys Pro Ile Pro Ser Thr Val Lys Ala Gly Glu 40 Leu Glu Lys Ile Ile Ser Arg Cys Gln Val Cys Met Lys Lys Arg His 50 55 <210> 26 <211> 79 <212> PRT <213> Artificial Sequence <220> <223> Tum-5 (amino acids 54-132 of SEQ ID NO:10) <400> 26 Gln Arg Ala His Gly Gln Asp Leu Gly Thr Leu Gly Ser Cys Leu Gln Arg Phe Thr Thr Met Pro Phe Leu Phe Cys Asn Val Asn Asp Val Cys 20 25 30 Asn Phe Ala Ser Arg Asn Asp Tyr Ser Tyr Trp Leu Ser Thr Pro Ala 35 40 Leu Met Pro Met Asn Met Ala Pro Ile Thr Gly Arg Ala Leu Glu Pro 50 Tyr Ile Ser Arg Cys Thr Val Cys Glu Gly Pro Ala Ile Ala Ile <210> 27

```
<211> 19
<212> PRT
<213> Artificial Sequence
<220>
<223> T1 (amino acids 1-19 of SEQ ID NO:10)
<400> 27
Gly Leu Lys Gly Lys Arg Gly Asp Ser Gly Ser Pro Ala Thr Trp Thr
                                    10
Thr Arg Gly
<210> 28
<211> 20
<212> PRT
<213> Artificial Sequence
<220>
<223> T2 (amino acids 53-72 of SEQ ID NO:10)
<400>
      28
Asn Gln Arg Ala His Gly Gln Asp Leu Gly Thr Leu Gly Ser Cys Leu
Gln Arg Phe Thr
<210> 29
<211> 20
<212> PRT
<213> Artificial Sequence
<220>
<223>
      T3 (amino acids 68-87 of SEQ ID NO:10)
<400> 29
Leu Gln Arg Phe Thr Thr Met Pro Phe Leu Phe Cys Asn Val Asn Asp
Val Cys Asn Phe
           20
<210> 30
<211> 20
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223>
      T4 (amino acids 83-102 of SEQ ID NO:10)
<400> 30
Asp Val Cys Asn Phe Ala Ser Arg Asn Asp Tyr Ser Tyr Trp Leu Ser
Thr Pro Ala Leu
            20
<210> 31
<211>
       19
<212>
      PRT
<213> Artificial Sequence
<223> T5 (amino acids 98-116 of SEQ ID NO:10)
<400> 31
Ser Thr Pro Ala Leu Met Pro Met Asn Met Ala Pro Ile Thr Gly Arg
                5
                                                        15
Ala Leu Glu
<210> 32
<211>
      19
<212> PRT
<213> Artificial Sequence
<220>
<223>
      T6 (amino acids 113-131 of SEQ ID NO:10)
<400> 32
Arg Ala Leu Glu Pro Tyr Ile Ser Arg Cys Thr Val Cys Glu Gly Pro
                5
                                    10
Ala Ile Ala
<210> 33
<211> 88
<212> PRT
<213> Artificial Sequence
<220>
<223> Tumstatin-45-132 (amino acids 45-132 of SEQ ID NO:10)
```

<400> 33

Phe Ser Phe Leu Phe Val Gln Gly Asn Gln Arg Ala His Gly Gln Asp 1 5 10 15

Leu Gly Thr Leu Gly Ser Cys Leu Gln Arg Phe Thr Thr Met Pro Phe
20 25 30

Leu Phe Cys Asn Val Asn Asp Val Cys Asn Phe Ala Ser Arg Asn Asp 35 40 45

Tyr Ser Tyr Trp Leu Ser Thr Pro Ala Leu Met Pro Met Asn Met Ala 50 55 60

Pro Ile Thr Gly Arg Ala Leu Glu Pro Tyr Ile Ser Arg Cys Thr Val 65 70 75 80

Cys Glu Gly Pro Ala Ile Ala Ile 85

<210> 34

<211> 88

<212> PRT

<213> Artificial Sequence

<220>

<223> Tumstatin-5-125-C-A (amino acids 45-132 of SEQ ID NO:10; alanine has been substituted for the cysteine residue at position 125 of the full-length Tumstatin molecule)

<400> 34

Phe Ser Phe Leu Phe Val Gln Gly Asn Gln Arg Ala His Gly Gln Asp 1 5 10 15

Leu Gly Thr Leu Gly Ser Cys Leu Gln Arg Phe Thr Thr Met Pro Phe 20 25 30

Leu Phe Cys Asn Val Asn Asp Val Cys Asn Phe Ala Ser Arg Asn Asp 35 40 45

Tyr Ser Tyr Trp Leu Ser Thr Pro Ala Leu Met Pro Met Asn Met Ala 50 55 60

Pro Ile Thr Gly Arg Ala Leu Glu Pro Tyr Ile Ser Arg Cys Thr Val 65 70 75 80

```
Ala Glu Gly Pro Ala Ile Ala Ile
<210> 35
<211> 9
<212> PRT
<213> Artificial Sequence
<220>
<223> synthetic blocking peptide
<400> 35
Cys Asp Cys Arg Gly Asp Cys Phe Cys
<210> 36
<211> 5
<212> PRT
<213> Artificial Sequence
<223> synthetic blocking peptide
<400> 36
Cys Asn Gly Arg Cys
<210> 37
<211> 25
<212> PRT
<213> Artificial Sequence
<223> T7 (amino acids 73-97 of SEQ ID NO:10)
<400> 37
Thr Met Pro Phe Leu Phe Cys Asn Val Asn Asp Val Cys Asn Phe Ala
Ser Arg Asn Asp Tyr Ser Tyr Trp Leu
           20
                               25
<210> 38
<211> 25
<212> PRT
<213> Artificial Sequence
```

<220> <223> T7-mutant (amino acids 73-97 of SEQ ID NO:10; methionine has been substituted for the leucine residue at position 77 of the full-1 ength Tumstatin molecule, and isoleucine has been substituted for valine at position 81, and asparagine has been substituted for a spartic acid at position 83) <400> 38 Thr Met Pro Phe Met Phe Cys Asn Ile Asn Asn Val Cys Asn Phe Ala 5 10 Ser Arg Asn Asp Tyr Ser Tyr Trp Leu 20 <210> 39 <211> 27 <212> PRT <213> Artificial Sequence <220> <223> T8 (amino acids 68-94 of SEQ ID NO:10; lysine has been substitute d for the leucine residue at position 68 of the full-length Tumst atin molecule) <400> 39 Lys Gln Arg Phe Thr Thr Met Pro Phe Leu Phe Cys Asn Val Asn Asp 10 Val Cys Asn Phe Ala Ser Arg Asn Asp Tyr Ser 20 25 <210> 40 <211> 27 <212> PRT <213> Artificial Sequence <220> T8-3 (amino acids 68-94 of SEQ ID NO:10; lysine has been substitu <223> ted for the leucine residue at position 68 of the full-length Tum statin molecule, and serine has been substituted for the cysteine residues at positions 79 and 85) <400> 40 Lys Gln Arg Phe Thr Thr Met Pro Phe Leu Phe Ser Asn Val Asn Asp 1 5 10 15 Val Ser Asn Phe Ala Ser Arg Asn Asp Tyr Ser

<210> 41 <211> 19 <212> PRT <213> Artificial Sequence <220> <223> TP3 (amino acids 76-94 of SEQ ID NO:10; lysine has been substitut ed for the phenylalanine residue at position 76 of the full-lengt h Tumstatin molecule, and cysteine has been substituted for the aspartic acid at position 83) <400> 41 Lys Leu Phe Cys Asn Val Asn Cys Val Cys Asn Phe Ala Ser Arg Asn Asp Tyr Ser <210> 42 <211> 27 <212> PRT <213> Artificial Sequence <220> P2 (amino acids 68-94 of SEQ ID NO:10; lysine has been substitut ed for the leucine residue at position 68 of the full-length Tums tatin molecule, and aspartic acid has been substituted for the cy steine residues at positions 79 and 85) <400> 42 Lys Gln Arg Phe Thr Thr Met Pro Phe Leu Phe Asp Asn Val Asn Asp 5 10 15 Val Asp Asn Phe Ala Ser Arg Asn Asp Tyr Ser 20 <210> 43 <211> 27 <212> PRT <213> Artificial Sequence <220> <223> Scrambled peptide SP1 <400> 43 Ala Asn Met Ser Arg Asn Val Phe Phe Asp Cys Thr Ser Phe Pro Val 5 10

```
Cys Gln Lys Phe Leu Asn Asp Thr Arg Asn Tyr
            20
<210> 44
<211> 27
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Scrambled peptide SP2
<400>
Thr Phe Asn Cys Val Lys Asn Tyr Gln Arg Leu Asp Phe Thr Ser Arg
Phe Val Met Asp Ser Cys Ala Asn Phe Pro Asn
            20
<210> 45
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic peptide
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa at position 1 is any amino acid
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa at position 2 is Phe or Lys
<220>
<221> MISC_FEATURE
<222>
      (5)..(5)
<223> Xaa at position 5 is Cys, Ser or Asp
<220>
<221> MISC_FEATURE
<222>
      (9)..(9)
<223> Xaa at position 9 is Asp or Cys
<220>
<221> MISC_FEATURE
<222>
      (11)..(11)
```

```
<223> Xaa at position 11 is Cys, Ser or Asp
<220>
<221> MISC FEATURE
<222> (14)..(14)
<223> Xaa at position 14 is any amino acid
<400> 45
Xaa Xaa Leu Phe Xaa Asn Val Asn Xaa Val Xaa Asn Phe Xaa
                5
<210> 46
<211>
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic Peptide
<400> 46
Thr Thr Met Pro
<210> 47
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic Peptide
<400> 47
Phe Thr Thr Met Pro
1
               5
<210> 48
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic Peptide
<400> 48
Arg Phe Thr Thr Met Pro
               5
```

```
<210> 49
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic peptide
<400> 49
Gln Arg Phe Thr Thr Met Pro
<210> 50
<211> 8
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic Peptide
<400> 50
Leu Gln Arg Phe Thr Thr Met Pro
              5
<210> 51
<211> 8
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic Peptide
<400> 51
Lys Gln Arg Phe Thr Thr Met Pro
<210> 52
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic Peptide
<400> 52
Ala Ser Arg Asn
<210> 53
```

25/27

```
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic Peptide
<400> 53
Ala Ser Arg Asn Asp
<210> 54
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic Peptide
<400> 54
Ala Ser Arg Asn Asp Tyr
<210> 55
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic Peptide
<400> 55
Ala Ser Arg Asn Asp Tyr Ser
                5
<210> 56
<211> 8
<212> PRT
<213> Artificial Sequence
<220>
<223> Generic Peptide
<400> 56
Ala Ser Arg Asn Asp Tyr Ser Tyr
<210> 57
<211> 9
```

<212> PRT
<213> Artificial Sequence

<220>
<223> Generic Peptide

<400> 57

Ala Ser Arg Asn Asp Tyr Asp Tyr Trp
1 5

<210> 58
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Generic Peptide

<400> 58

Ala Ser Arg Asn Asp Tyr Ser Tyr Trp Leu
1 5 10